

Technical specifications
(1/3)

Green eco wood


By Javier Mariscal



Mobles114

Technical specifications

(2/3)



*Metric unit cm

PRODUCT

Units	Weight
1	4 kg

PACKAGING

Units	Weight	Dimensions	Volume
2	12 kg	51x52x70 cm	0,19 m ³

All packaging is double recyclable cardboard. The chair is delivered disassembled in a box with two units.


MATERIALS AND COLORS

Structure (steel)



RAL 7044 RAL 9004

Legs (wooden)



Beech

Seat (polypropylene)



RAL 7006 RAL 9004

Technical specifications

(3/3)

CERTIFICATIONS AND REGULATIONS

Wood: Forest Stewardship Council (FSC)

Fire retardant: UNE-EN 1021-1 and UNE-EN 1021-2

Resistance in public use: UNE-EN 15373:07

Resistance in domestic use: UNE-EN 1728:01

MATERIALS AND FINISHES

Structure

Structure formed from a set of steel plates with a section of 25x4 mm, welded together. Structure finished with epoxy powder paint 80 microns, 30% mat grey/beige RAL 7044 and RAL 9004.

Four solid beech wood legs, finished with water-based varnish without stain, are fixed to the structure using 8 M6x25 and M6x30 DIN7380 screws (supplied with glue application). The whole set is fixed to the casing with 4 iron screws zinc plated in white.

The 4 ground support points are protected with plastic or felt caps.

Seat

The seat of the cadira is manufactured with injected polypropylene coming from industrial recycling. The anatomical shape that characterizes the seat is ergonomic and comfortable.

Feels of great resistance and elasticity, strengthens the nerves posteriors and inferiors. The seven teeth in the center a cavitat per desguassar in case of pluja, apt for exterior use.

The seat is available in two finishes, beige RAL 7006 i RAL 9004 black.

MAINTENANCE

Clean with a damp cloth with mild soap and water. Rinse and dry with a dry cloth. Avoid using abrasive products.