

Technical specifications  
(1/3)

# Rambla chair


By Martín Azúa



**Mobles14**

# Technical specifications

(2/3)



\*Metric unit cm

## PRODUCT

Units	Weight
1	5,5 kg

## PACKAGING

Units	Weight	Dimensions	Volume
1	9 kg	58x56x82 cm	0,26 m <sup>3</sup>

All packaging is double recyclable cardboard. The chair is supplied already assembled.

## MATERIALS AND COLORS

### Structure (steel)



RAL 9002 RAL 9004 RAL 6003 RAL 1004

### Cushion (polyurethane)



RAL 9002 RAL 9004 RAL 6003 RAL 1004

# Technical specifications

(3/3)

## CERTIFICATIONS AND REGULATIONS

**Fire resistance:** UNE-EN 1021-1 and UNE EN 102-2

**Resistance in public use:** UNE-EN 16139:2013

## MATERIALS AND FINISHES

### Structure

Chair made of steel rod. The outer perimeter is 10mm in diameter and the inner part is 6mm in diameter.

The entire assembly is TIG welded, achieving great mechanical resistance.

At the 4 ground support points there are plastic (PE) stops, suitable for rough floors.

Zinc plated chair and later painted with 80 micron epoxy powder paint, 30% textured matt.

Available in 4 finishes: RAL 9002 white, RAL 9004 black, RAL 6003 green and RAL 1004 yellow.

Stackable chair (Max. 6)

### Cushion

Optionally, it can carry a cushion made of injected polyurethane foam (PUR). In order for it to be correctly positioned, this piece has 4 circular projections on the underside that fit the reticulated structure of the chair.

Available in 4 finishes: RAL 9002 white, RAL 9004 black, RAL 6003 green and RAL 1004 yellow.

## MAINTENANCE

Clean with a damp cloth with mild soap and water. Rinse and dry with a dry cloth. Avoid using abrasive products.