


Technical specifications
(1/3)

Nuta colors


By Lluís Pau



Mobles114

Technical specifications

(2/3)



*Metric unit: cm

PRODUCT

	Units	Weight
Nuta de 45	1	2 kg
Nuta de 60	1	4 kg
Nuta de 75	1	4,5 kg

PACKAGING

	Units	Weight	Dimensions	Volume
Nuta 45	1	3 kg	34X31X49 cm	0,052 m ³
Nuta 60	1	5 kg	34X31X63 cm	0,066 m ³
Nuta 75	1	5,5 kg	34X31X81 cm	0,085 m ³

All packaging is double recyclable cardboard.

MATERIALS AND COLORS (steel)



RAL 9004 RAL 7044 RAL 7002 RAL 3016

Technical specifications

(3/3)

CERTIFICATIONS AND REGULATIONS

Resistance in public use: UNE 11010:89, UNE 11020-2:92

Determination of stability: EN 1022:98

MATERIALS AND FINISHES

Structure

Structure made of different \varnothing 12 mm steel rods, welded together.

The 45 cm model consists of 3 rods. The models of 60 cm and 75 cm models consist of 4 rods, plus a 30 cm diameter ring (made of \varnothing 10 mm rod), which acts as a footrest and at the same time gives more strength to the element.

The points of support on the floor are protected with high-density polystyrene mats.

Seat

Stainless steel seat manufactured by deep drawing. Nuts welded on the lower face allow us to fix it to the structure with metric screw DIN7380 M5X16.

Stool finished with a cataphoresis treatment for outdoor use and 80 micron 30% matt epoxy powder paint.

Available in 4 finishes: black RAL 9004, silk grey RAL 7044, olive green RAL 7002 and coral red RAL 3016.

MAINTENANCE

Clean with a damp cloth with mild soap and water. Rinse and dry with a dry cloth. Avoid using abrasive products.